

SPECTRA
BY LELCO




New Grid II

Structured Design



NEW GRID II

#Structured Design



ADJUSTABLE CLAMP MECHANISM

Easily remove and install NEW GRID II without damaging the ceiling.



- Finish**
- ☐ White
 - ☒ Black

- Trim Type**
- ☒ Trim
 - ☐ Trimless



NEW GRID II MR16 Single

- Lamp Type MR16 & GU10
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 50W (Halogen)
- Weight : Single (0.4 kg)

Trim**Trimless****Finish****Trim**

White



Black

Trimless

White



AccessoriesHoneycomb
LouvreLinear Spread
LensSoft Edge
Lens**Order Guide**

N G R - 1 - 1 - - - -						
Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type*
NGR	1 MR16	1 Single	T Trim L Trimless	WH White BK Black	00 None SE Soft Edge Lens LS Linear Spread Lens HC Honeycomb Louvre	M MR16 G GU10

*To be ordered separately

NEW GRID II MR16 Twin

- Lamp Type MR16 & GU10
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 50W (Halogen)
- Weight : Twin (0.7 kg)

Trim**Trimless****Finish****Trim**

White



Black

Trimless

White



AccessoriesHoneycomb
LouvreLinear Spread
LensSoft Edge
Lens**Order Guide**

N G R - 1 - 2 - - - -						
Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type*
NGR	1 MR16	2 Twin	T Trim L Trimless	WH White BK Black	00 None SE Soft Edge Lens LS Linear Spread Lens HC Honeycomb Louvre	M MR16 G GU10

*To be ordered separately

NEW GRID II MR16 Triple

- Lamp Type MR16 & GU10
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 50W (Halogen)
- Weight : Triple (1 kg)

Trim**Trimless****Finish****Trim**

White



Black

Trimless

White



AccessoriesHoneycomb
LouvreLinear Spread
LensSoft Edge
Lens**Order Guide**

N G R - 1 - 3 - - - -						
Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type*
NGR	1 MR16	3 Triple	T Trim L Trimless	WH White BK Black	00 None SE Soft Edge Lens LS Linear Spread Lens HC Honeycomb Louvre	M MR16 G GU10

*To be ordered separately

NEW GRID II MR16 Quad

- Lamp Type MR16 & GU10
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 50W (Halogen)
- Weight : Quad (1.4 kg)

Trim**Trimless****Finish****Trim**

White



Black

Trimless

White



AccessoriesHoneycomb
LouvreLinear Spread
LensSoft Edge
Lens**Order Guide**

N G R - 1 - 4 - - - -						
Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type*
NGR	1 MR16	4 Quad	T Trim L Trimless	WH White BK Black	00 None SE Soft Edge Lens LS Linear Spread Lens HC Honeycomb Louvre	M MR16 G GU10

*To be ordered separately

NEW GRID II AR111 Single

- Lamp Type AR111
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 70W (Halogen)
- Weight : Single (0.4 kg)

Trim**Trimless****Finish****Trim**

White



Black

Trimless

White



AccessoriesHoneycomb
LouvreLinear Spread
LensSoft Edge
Lens**Order Guide**

NGR 2 1 A						
Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type*
NGR	2 AR111	1 Single	T Trim L Trimless	WH White BK Black	00 None SE Soft Edge Lens LS Linear Spread Lens HC Honeycomb Louvre	A AR111

*To be ordered separately

NEW GRID II AR111 Twin

- Lamp Type AR111
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 70W (Halogen)
- Weight : Twin (0.7 kg)

Trim**Trimless****Finish****Trim**

White



Black

Trimless

White



AccessoriesHoneycomb
LouvreLinear Spread
LensSoft Edge
Lens**Order Guide**

N G R - 2 - 2 - - - - A						
Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type*
NGR	2 AR111	2 Twin	T Trim L Trimless	WH White BK Black	00 None SE Soft Edge Lens LS Linear Spread Lens HC Honeycomb Louvre	A AR111

*To be ordered separately

NEW GRID II AR111 Triple

- Lamp Type AR111
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 70W (Halogen)
- Weight : Triple (1 kg)

Trim**Trimless****Finish****Trim**

White



Black

Trimless

White



AccessoriesHoneycomb
LouvreLinear Spread
LensSoft Edge
Lens**Order Guide**

N G R - 2 - 3 - - - - A						
Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type*
NGR	2 AR111	3 Triple	T Trim L Trimless	WH White BK Black	00 None SE Soft Edge Lens LS Linear Spread Lens HC Honeycomb Louvre	A AR111

*To be ordered separately

NEW GRID II AR111 Quad

- Lamp Type AR111
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 70W (Halogen)
- Weight : Quad (1.4 kg)

Trim**Trimless****Finish****Trim**



White



Black

Trimless

White

AccessoriesHoneycomb
LouvreLinear Spread
LensSoft Edge
Lens**Order Guide**


N G R - 2 - 4 - - - - A						
Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type*
NGR	2 AR111	4 Quad	T Trim L Trimless	WH White BK Black	00 None SE Soft Edge Lens LS Linear Spread Lens HC Honeycomb Louvre	A AR111


*To be ordered separately

NEW GRID II LED Module PC50 Single
 **IP20**
 **LED**
 **F**

- Lamp Type LED Module
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 70W (Halogen)
- Weight : Single (0.4 kg)

Trim


96x96
**Trimless**


101x101
**LED Module Type****PC50**

900 lm | 15°/24°/40° | CRI>90 | 2700K/3000K/4000K
 1400 lm | 24°/40° | CRI>80 | 3000K/4000K

Finish**Trim**

White



Black

Trimless

White

AccessoriesHoneycomb
LouvreLinear Spread
LensSoft Edge
Lens**Order Guide**


NGR 1 1											
Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type	Wattage	Beam Angle	CCT	Control Gear	
NGR	1 MR16	1 Single	T Trim	WH White	00 None	PC50 G1	12 12.3W 900lm 350mA 35V	SP 15°	927 2700K CRI>90	ND Non-dim AN 1-10V DA DALI PC Phase-Cut CA Casambi	
			L Trimless	BK Black	SE Soft Edge Lens			MD 24°			
					LS Linear Spread Lens		13 12.9W 1400lm 350mA 37V	FL 40°	930 3000K CRI>90		
					HC Honeycomb Louvre				940 4000K CRI>90		
								MD 24°	830 3000K CRI>80		
								FL 40°	840 4000K CRI>80		

NEW GRID II LED Module P111 Single




- Lamp Type LED Module
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 70W (Halogen)
- Weight : Single (0.4 kg)

Trim



Trimless



LED Module Type



P111

1800 lm	15°/24°/40°	CRI>90	2700K/3000K/4000K
2800 lm	15°/24°/40°	CRI>80	3000K/4000K
4300 lm	24°/40°/60°	CRI>80	3000K/4000K

Finish

Trim



White

Trimless




Black



White


Accessories



Honeycomb
Louvre



Linear Spread
Lens



Soft Edge
Lens

Order Guide


Product Code Breakdown											
Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type	Wattage	Beam Angle	CCT	Control Gear	
NGR	2 AR111	1 Single	T Trim L Trimless	WH White BK Black	00 None SE Soft Edge Lens LS Linear Spread Lens HC Honeycomb Louvre	P111 G1	18 18W 1800lm 500mA 36V 26 25.9W 2800lm 700mA 37V 37 37.6W 4300lm 1050mA 36V	SP 15° MD 24° FL 40° MD 24° FL 40° WF 60°	927 2700K CRI>90 930 3000K CRI>90 940 4000K CRI>90 830 3000K CRI>80 840 4000K CRI>80	ND Non-dim AN 1-10V DA DALI PC Phase-Cut CA Casambi	

NEW GRID II LED Module PC50 Twin




- Lamp Type LED Module
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 70W (Halogen)
- Weight : Twin (0.7 kg)

Trim



Trimless



LED Module Type



PC50

900 lm | 15°/24°/40° | CRI>90 | 2700K/3000K/4000K
1400 lm | 24°/40° | CRI>80 | 3000K/4000K

Finish

Trim



White

Trimless




Black



White

Accessories


Honeycomb
Louvre

Linear Spread
Lens



Soft Edge
Lens


Order Guide




Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type	Wattage	Beam Angle	CCT	Control Gear
NGR	1 MR16	2 Twin	T Trim	WH White	00 None	PC50 G1	12 12.3W 900lm 350mA 35V	SP 15°	927 2700K CRI>90	ND Non-dim
			L Trimless	BK Black	MD 24°			AN 1-10V		
					FL 40°			930 3000K CRI>90	DA DALI	
								940 4000K CRI>90	PC Phase-Cut	
								CA Casambi		
										13 12.9W 1400lm 350mA 37V

- Lamp Type LED Module
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 70W (Halogen)
- Weight : Twin (0.7 kg)

Trim



Trimless



LED Module Type



P111

1800 lm	15°/24°/40°	CRI>90	2700K/3000K/4000K
2800 lm	15°/24°/40°	CRI>80	3000K/4000K
4300 lm	24°/40°/60°	CRI>80	3000K/4000K

Finish

Trim



White

Trimless




Black



White


Accessories



Honeycomb
Louvre



Linear Spread
Lens



Soft Edge
Lens

Order Guide


Product Code Breakdown										
Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type	Wattage	Beam Angle	CCT	Control Gear
NGR	2 AR111	2 Twin	T Trim L Trimless	WH White BK Black	00 None SE Soft Edge Lens LS Linear Spread Lens HC Honeycomb Louvre	P111 G1	18 18W 1800lm 500mA 36V 26 25.9W 2800lm 700mA 37V 37 37.6W 4300lm 1050mA 36V	SP 15° MD 24° FL 40° SP 15° MD 24° FL 40° WF 60°	927 2700K CRI>90 930 3000K CRI>90 940 4000K CRI>90 830 3000K CRI>80 840 4000K CRI>80	ND Non-dim AN 1-10V DA DALI PC Phase-Cut CA Casambi

NEW GRID II LED Module PC50 Triple




- Lamp Type LED Module
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 70W (Halogen)
- Weight : Triple (1 kg)

Trim



Trimless



LED Module Type



PC50

900 lm	15°/24°/40°	CRI>90	2700K/3000K/4000K
1400 lm	24°/40°	CRI>80	3000K/4000K

Finish

Trim



White

Trimless




Black



White


Accessories



Honeycomb
Louvre




Linear Spread
Lens



Soft Edge
Lens



Order Guide



Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type	Wattage	Beam Angle	CCT	Control Gear	
NGR	1 MR16	3 Triple	T Trim	WH White	00 None	PC50 G1	12.3W 900lm	SP 15°	927 2700K CRI>90	ND Non-dim 1-10V DA DALI PC Phase-Cut CA Casambi	
			L Trimless	BK Black	SE Soft Edge Lens		350mA 35V	MD 24°	FL 40°		930 3000K CRI>90
			LS Linear Spread Lens						940 4000K CRI>90		
			HC Honeycomb Louvre								
						13 12.9W 1400lm	MD 24°	830 3000K CRI>80			
						350mA 37V	FL 40°	840 4000K CRI>80			

NEW GRID II LED Module P111 Triple
 **IP20**
 **LED**


- Lamp Type LED Module
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 70W (Halogen)
- Weight : Triple (1 kg)

Trim**Trimless****LED Module Type****P111**

1800 lm | 15°/24°/40° | CRI>90 | 2700K/3000K/4000K
 2800 lm | 15°/24°/40° | CRI>80 | 3000K/4000K
 4300 lm | 24°/40°/60° | CRI>80 | 3000K/4000K

Finish**Trim**



White



Black

Trimless



White

AccessoriesHoneycomb
LouvreLinear Spread
LensSoft Edge
Lens**Order Guide**

Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type	Wattage	Beam Angle	CCT	Control Gear
NGR	2 AR111	3 Triple	T Trim L Trimless	WH White BK Black	00 None SE Soft Edge Lens LS Linear Spread Lens HC Honeycomb Louvre	P111 G1	18 18W 1800lm 500mA 36V 26 25.9W 2800lm 700mA 37V 37 37.6W 4300lm 1050mA 36V	SP 15° MD 24° FL 40° MD 24° FL 40° WF 60°	927 2700K CRI>90 930 3000K CRI>90 940 4000K CRI>90 830 3000K CRI>80 840 4000K CRI>80	ND Non-dim AN 1-10V DA DALI PC Phase-Cut CA Casambi

NEW GRID II LED Module PC50 Quad
 **IP20**
 **LED**


- Lamp Type LED Module
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 70W (Halogen)
- Weight : Quad (1.4 kg)

Trim**Trimless****LED Module Type****PC50**

900 lm | 15°/24°/40° | CRI>90 | 2700K/3000K/4000K
 1400 lm | 24°/40° | CRI>80 | 3000K/4000K

Finish**Trim**

White



Black

Trimless

White

AccessoriesHoneycomb
LouvreLinear Spread
LensSoft Edge
Lens**Order Guide**


Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type	Wattage	Beam Angle	CCT	Control Gear
NGR	1 MR16	4 Quad	T Trim L Trimless	WH White BK Black	00 None SE Soft Edge Lens LS Linear Spread Lens HC Honeycomb Louvre	PC50 G1	12 12.3W 900lm 350mA 35V 13 12.9W 1400lm 350mA 37V	SP 15° MD 24° FL 40° MD 24° FL 40°	927 2700K CRI>90 930 3000K CRI>90 940 4000K CRI>90 830 3000K CRI>80 840 4000K CRI>80	ND Non-dim AN 1-10V DA DALI PC Phase-Cut CA Casambi

NEW GRID II LED Module P111 Quad




- Lamp Type LED Module
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector
- Max. 70W (Halogen)
- Weight : Quad (1.4 kg)

Trim



Trimless



LED Module Type




P111

1800 lm	15°/24°/40°	CRI>90	2700K/3000K/4000K
2800 lm	15°/24°/40°	CRI>80	3000K/4000K
4300 lm	24°/40°/60°	CRI>80	3000K/4000K

Finish



Accessories







Order Guide

Product Code Breakdown										
Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type	Wattage	Beam Angle	CCT	Control Gear
NGR	2 AR111	4 Quad	T Trim L Trimless	WH White BK Black	00 None SE Soft Edge Lens LS Linear Spread Lens HC Honeycomb Louvre	P111 G1	18 18W 1800lm 500mA 36V 26 25.9W 2800lm 700mA 37V 37 37.6W 4300lm 1050mA 36V	SP 15° MD 24° FL 40° WF 60°	927 2700K CRI>90 930 3000K CRI>90 940 4000K CRI>90 830 3000K CRI>80 840 4000K CRI>80	ND Non-dim AN 1-10V DA DALI PC Phase-Cut CA Casambi

NEW GRID II Surface MR16/GU10

- Lamp Type MR16 & GU10
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector

Single**Twin****Accessories**

Honeycomb




Linear Spread
LensSoft Edge
Lens**Order Guide**

NGS 1 S BK						
Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type*
NGS	1 MR16	1 Single 2 Twin	S Surface	BK Black	00 None	M MR16 G GU10
					SE Soft Edge Lens	
					LS Linear Spread Lens	
					HC Honeycomb Louvre	

*To be ordered separately

NEW GRID II Surface AR111



- Lamp Type AR111
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector

Single**Twin****Accessories**Honeycomb
LouvreLinear Spread
LensSoft Edge
Lens**Order Guide**

*To be ordered separately

NEW GRID II Surface LED Module PC50
 **IP20**
 **LED**
 **F**

- Lamp Type LED Module
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector

Single**Twin****LED Module Type****PC50**



900 lm | 15°/24°/40° | CRI>90 | 2700K/3000K/4000K
 1400 lm | 24°/40° | CRI>80 | 3000K/4000K

AccessoriesHoneycomb
LouvreLinear Spread
LensSoft Edge
Lens**Order Guide**


Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type	Wattage	Beam Angle	CCT	Control Gear
NGS	1 MR16	1 Single 2 Twin	S Surface	BK Black	00 None SE Soft Edge Lens LS Linear Spread Lens HC Honeycomb Louvre	PC50 G1	12 12.3W 900lm 350mA 35V 13 12.9W 1400lm 350mA 37V	SP 15° MD 24° FL 40°	927 2700K CRI>90 930 3000K CRI>90 940 4000K CRI>90 830 3000K CRI>80 840 4000K CRI>80	ND Non-dim AN 1-10V DA DALI PC Phase-Cut CA Casambi

NEW GRID II Surface LED Module P111
 **IP20**
 **LED**


- Lamp Type LED Module
- Easy to install with Adjusting Clamp
- Easy wiring connection with socket connector

Single**Twin****LED Module Type****P111**

1800 lm | 15°/24°/40° | CRI>90 | 2700K/3000K/4000K
 2800 lm | 15°/24°/40° | CRI>80 | 3000K/4000K
 4300 lm | 24°/40°/60° | CRI>80 | 3000K/4000K

AccessoriesHoneycomb
LouvreLinear Spread
LensSoft Edge
Lens**Order Guide**

Product Code	Size	Number of Lamp	Trim Type	Trim Color	Accessories	Lamp Type	Wattage	Beam Angle	CCT	Control Gear
NGS	2 AR111	1 Single 2 Twin	S Surface	BK Black	00 None SE Soft Edge Lens LS Linear Spread Lens HC Honeycomb Louvre	P111 G1	18 18W 1800lm 500mA 36V 26 25.9W 2800lm 700mA 37V 37 37.6W 4300lm 1050mA 36V	SP 15° MD 24° FL 40° MD 24° FL 40° WF 60°	927 2700K CRI>90 930 3000K CRI>90 940 4000K CRI>90 830 3000K CRI>80 840 4000K CRI>80	ND Non-dim AN 1-10V DA DALI PC Phase-Cut CA Casambi